EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S211	1	("5515085").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/04/23 14:33
S212	1	("6726312"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/04/24 16:20
\$213	75512	("347"). CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/04/25 15:49
S214	26608	(contract\$3 shrink\$3 deformat\$3 compliance flexible flexibility expand\$3 extend\$3 distent\$3) same (heater thermal) same electrode	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/04/25 15:49
S 215	3915725	stimulus pulse signal	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/04/25 15:49
S216	9784	S214 and S215	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/04/25 15:49
S217	948	\$216 and \$213	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/04/25 15:49
S218	131104	(("358") or ("347")).CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/04/25 15:50
S219	963	\$216 and \$218	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/04/25 15:51
S220	423	channel same (fluid liquid ink) and chamber and \$219	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/04/25 15:54
S221	4180	(347/48,54,57,68) .OOLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/04/25 16:14

S222	75512	("347").QLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/04/25 16:15
S223	253	(((piezoelectric actuator electrode) with (size expan \$4 shape) with (two orthogonal perpendicular) with (direction axis)) same (dot drop\$4 liquid ink fluid)) and \$222	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/04/25 16:15
\$224	257	(((piezoelectric actuator electrode transducer piezo) with (size expan\$4 shape) with (two orthogonal perpendicular) with (direction axis)) same (dot drop\$4 liquid ink fluid)) and \$222	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/04/25 16:16
S225	75	[(((piezoelectric actuator electrode transducer piezo) with (size expan\$4 shape) with (two orthogonal perpendicular) with ((direction axis)) same (dot drop\$4 liquid ink fluid)) and \$221	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/04/25 16:20
S22 6	1463	(347/54) .CCL.S.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/04/25 16:21
S227	7	[(((piezoelectric actuator electrode transducer piezo) with (size expan\$4 shape) with (two orthogonal perpendicular) with ((direction axis)) same (dot drop\$4 liquid ink fluid)) and \$226	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/04/25 16:21
S228	32036	((size expan\$4 shape volum \$4) with (two orthogonal perpendicular) with (direction axis)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/04/25 16:23
\$229	346562	(stimulus pulse signal).clm.	US-PGPUB	OR	ON	2008/04/25 16:23
\$230	1113	S228 and S229	US-PGPUB	OR	ON	2008/04/25 16:24
\$231	2	\$230 and \$221	US-PGPUB	OR	ON	2008/04/25 16:24
\$232	31	\$230 and \$222	US-PGPUB	OR	ON	2008/04/25 16:24

\$233	1	S230 and S226	US-PGPUB	OR	ON	2008/04/25 16:25
S235			US-PGPUB; USPAT; USOCR; EPO; JPO	OR		2008/04/25 16:51

^{8/14/2008 7:37:06} PM

C:\ Documents and Settings\ jlebron\ My Documents\ EAST\ Workspaces\ 10760276.wsp